



REAL ESTATE ASSESSMENT CENTER

Inspection Preparation Guide

New Inspection Model In Development

 Know the changes and be prepared
 Page 2

Common Deficiencies & How To Avoid Them

 Plan ahead and avoid point deductions
 Pages 3-15

Time-Saving Solutions

 Products that make compliance faster and easier
 Back cover

INSPECTIONS ARE CHANGING BE PREPARED — WE CAN HELP

NSPIRE (National Standards for the Physical Inspection of Real Estate), is the new health and safety inspection model being developed for housing owned, insured, or subsidized by the U.S. Department of Housing and Urban Development (HUD). This new initiative is designed to encourage public housing agencies and subsidized housing owners to constantly review the quality of their communities and reduce "just in time" inspection repairs.

WHAT DOES THIS MEAN FOR YOU?

- Shorter notice for inspections 14 days instead of 120*
- Less time to prepare for an inspection
- New levels of scrutiny on a HUD property's physical condition

With faster turnaround times for inspections, rely on HD Supply for maintenance products, repair parts, and Property Improvement services that can help you avoid point deductions and deficiency citations.

- More than 100,000 products
- FREE, next-day delivery**
- Property improvement and renovation services
- Expert installation and labor services[†]

SMALL RENOVATIONS CAN PAY OFF BIG

When repairs become too frequent, small-scale renovations may be more cost-effective in the long run. Our Property Improvement team will manage the project from start to finish and help with product selection and scheduling deliveries.

Learn more at hdsupplysolutions.com/propertyimprovement

- *Source: www.hud.gov/sites/dfiles/Main/documents/14-Day_Notice_w_PIH_Signature.pdf
- **On most orders to most areas.
- †Available in select markets only.







ALWAYS BE PREPARED FOR AN INSPECTION

Shorter notice means your property should be prepared for an inspection at all times. Here are some tips to help you stay on track.



Identify work that will require a contractor or special materials to complete.

EVERY 6

Focus on electrical and tripping hazards

EVERY 3

Check for plumbing problems and remove any graffiti.

UPON NOTICE OF INSPECTION

Review property for possible deficiencies and contact HD Supply for solutions.

DAY OF 🛩 INSPECTION

Make sure the grass is mowed, litter is picked up, and common area bathrooms are clean. **DOORS** - Damaged hardware/locks.

DOOR SECURITY HARDWARE - Inspectors need to know your property is safe and that residents are protected. Our product assortment includes locksets in a variety of styles and finishes. We also offer key blanks, heavy-duty keying machines, slide locks, padlocks, latches, door viewers, chains, and door knockers.

SHIELD

DOOR HARDWARE

Shield Security® Tulip Lock

- · Satin Chrome Finish
- For 2-3/8 Or 2-3/4" Backset
- · Adjustable Steel Latch
- · Grade 3 Security

PASSAGE 913810

PRIVACY

913825

ENTRY

- KW1 Compatible
- · Individually Keyed, Non-Mastered ⚠ CA Residents, See Warning 1

913840



Shield Security® **Contemporary Wave Lever**

- Satin Nickel Finish
- Fit Standard Door Sizes 13/8-13/4"
- · Grade 3 Security

PASSAGE 131371





Shield Security® Wave Lever

- · Satin Nickel Finish
- For 2-3/8 Or 2-3/4" Backset
- · Grade 3 Security

PASSAGE 913832





SHIELD SEGURITY.

Shield Security® Lever Lock

- Satin Chrome Finish
- For 2-3/8 Or 2-3/4" Backset
- · Adjustable Steel Latch
- · Non-Handed
- · Grade 3 Security

PASSAGE

913817

PRIVACY 913921

ENTRY

- KW1 Compatible
- · Individually Keved. Non-Mastered

⚠ CA Residents, See Warning 1

913823



Shield Security® **Electronic Keypad Lock**

- Satin Nickel Finish
- · Keypad Single Cylinder Deadbolt
- · Fit Standard Door Sizes 13/8-13/4"
- Program 10 Codes Maximum
- · Uses KW1 Key Blanks
- W A CA Residents, See Warning 1

131359 Pkg Of 2



Shield Security® **Electronic Keypad Lock**

- Satin Nickel Finish
- Touchpad Single Cylinder Deadbolt
- · Fit Standard Door Sizes 13/8-13/4"
- Program 30
- Codes Maximum
- Uses KW1 Key Blanks

W A CA Residents, See Warning 1

131360



Kwikset. SECURITY



Kwikset® Tylo® Lock

- Satin Chrome Finish
- For 2-3/8 Or 2-3/4" Backset
- . 6-Way Adjustable Steel Latch
- · Grade 3 Security

PASSAGE 900155

ENTRY

- SmartKey[™] Cylinder
- · Individually Keyed, Non-Mastered

PRIVACY 900380

900679



Kwikset® Signature Series™ 907

SmartCode™ Powerbolt 2 Deadbolt Satin Nickel

- For 2-3/8 Or 2-3/4" Backset
- · Electronic Keyless Entry
- Lighted Keypad
- 6 User Access Codes For Family And Guests
- Temporary Code Feature
- · ANSI/BHMA Grade 3 Certified

902265





Kwikset® SmartKey™

· Grade 3 Security

Brass

900792

900794

Satin Chrome

SMARTKEY

Single Cylinder Deadbolt

• For 2-3/8 Or 2-3/4" Backset

· Individually Keyed, Non-Mastered





- Satin Chrome
- For 2-3/8 Or 2-3/4" Backset
- · Grade 3 Security

Kwikset® Single

Cylinder Deadbolt

· Individually Keyed, Non-Mastered

 Pin And Tumbler Cylinder Œ





Kwikset KW1 Brass 5-Pin Kev Blank

· Also Fits Shield Security Grade 3 Residential Locks CA Residents, See Warning 1

886100 Box Of 50

886105 **Box Of 250**



Schlage SC1 Brass

· Schlage "C" Keyway ⚠ CA Residents, See Warning 1

5-Pin Key Blank

886300 Box Of 50

886305 **Box Of 250**



KEY BLANKS

W Manufacturer's Warranty: For warranty or service information, call 1.800.782.4154.

Satin Nickel

900795

WARNING 1: This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov.









DOORS - Damaged surface, including holes, peeling paint, rust, or broken glass.

CUSTOM PRODUCTS/FABRICATIONS - Doors damaged by break-ins, vandalism, accidents, or frequent use need to be repaired or replaced. We have doors and molding in stock and ready to ship. We can also custom cut bi-fold, bypass, and slab doors to your exact specifications.





4-9/16" x 6'8" Exterior Jamb Leg - Right Hand Side - 1-1/4" Thick

2-1/4" x 7' Ranch Casing - 5/8" Thick At Base

2-1/4" x 7' Colonial Casing - 5/8" Thick At Base

SLAB DOORS





- 1-3/8" Thick
- Primed White
- Actual Door Size Is 3/16" Shorter In Width

D 111352 D A CA Residents, See Warning 1

E 111348 D A CA Residents, See Warning 1

F 111347 D A CA Residents, See Warning 1

• Beveled One Side 3°

HOLLOW CORE

PART #	WIDTH	HEIGHT
111002	24"	80"
112001 DA CA Residents, See Warning 1	28"	80"
111003 D CA Residents, See Warning 1	30"	80"
111004 D A CA Residents, See Warning 1	32"	80"
111005 D A CA Residents, See Warning 1	34"	80"
111016 D A CA Residents, See Warning 1	36"	80"

SOLID CORE SLAB DOOR

PART #	WIDTH	HEIGHT
111012 D A CA Residents, See Warning 1	36"	80"



Raised 6-Panel Slab Door

PFJ

PMDF

PMDF

- Primed White
- Textured Finish
- 1-3/8" Thick
- · Hollow Core
- Actual Door Size Is 3/16" Shorter In Width
- Beveled Two Sides 3°

PART #	WIDTH	HEIGHT
205140 • CA Residents, See Warning 1	24"	80"
205145 • CA Residents, See Warning 1	28"	80"
205150 D	30"	80"
205155 D	32"	80"
205156 D	34"	80"
205160 D A CA Residents, See Warning 1	36"	80"

Dedicated Delivery: Available for delivery only by HD Supply Facilities Maintenance trucks within a specific local delivery zone. Call 1.800.431.3000.

WARNING 1: This product can expose you to chemicals including wood dust, which [is] are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

DOORS - Damaged or missing screen doors, storm doors, or security doors.

DOOR REPLACEMENT OR REPAIR - We have the screen frame and wire sizes, rolled screening, door handles, closers, latches, and accessories to help you repair or replace screen doors.

SCREEN, SECURITY & STORM DOORS

36" Economy Sliding Screen Door

- Steel Frame
- · Fiberglass Screen
- Self-Adjusting Top And Bottom Expanders
- · Adjustable Height From 78 To 80
- · Steel Rollers

Gray 848200 Pkg Of 5

Bronze 848225 Pkg Of 5

848220 Pkg Of 5







36 x 80" Security Door

- Black
- · Decorative Design Scrolls
- · Double Hole Security Lock Box
- Durable Powder-Coated Paint Finish
- Five 1/2" Vertical Bars With Three Horizontal Cross Bars For Added Durability
- · Expanded Steel Mesh 848460





Value-Core® White Storm Door

- Self-Storing Window And Screen For Bottom Ventilation
- 1" Thick Wood Core With Maintenance-Free Aluminum Frame
- · Durable Weatherstripping
- · Bottom Expander Adjusts For Uneven Sills
- · Color-Matched Adjustable Speed Closer
- Stylish White Push-Button Handle

D A CA Residents, See Warning 1

32 x 81" 530071

36 x 81" 530072



SCREENING & ACCESSORIES



Charcoal Fiberglass Screen

30" x 100" 857625

36" x 100' 857650

48" x 100" 857800



5/16" x 6' Screen Frame

- .020 Finished Aluminum
- Use .175 Spline

Mill Finish 862800 Pkg Of 20

Bronze Finish 862900 Pkg Of 20



862950 Pkg Of 20



- Nylon Roller With Steel Ball Bearing Wheels
- 2 And 2-1/2" Diameter Wheels 132255



Colonial Storm Door Handle

- · Black Finish
- 1-3/4" Center To Center Hole Spacing

855975

SAFETY GATE HARDWARE

MagnaLatch® Child Safety **Gate Latch**

- · Meets Pool Safety Codes
- Horizontal And Vertical Adjustment
- Patented Magnetic Latching
- Re-Keyable 6-Pin Lock
- · Will Not Rust, Corrode Or Jam

11" 905264 21"

905262





D&D Technologies

TruClose® Heavy-Duty **Self-Closing Gate Hinge**

- Stainless Steel Fasteners
- · Patented Tension Adjustment
- · Adjust Tension From Either End
- · Will Not Rust, Bind, Sag Or Stain
- Maximum Self-Closing Gate Weight 154 Lb
- Maximum Point Load 1,100 Lb

835048 Pkg Of 2



Dedicated Delivery: Available for delivery only by HD Supply Facilities Maintenance trucks within a specific local delivery zone. Call 1.800.431.3000.

**MARNING 1: This product can expose you to chemicals including formaldehyde, which [is] are known to the State of California to cause cancer and butyl benzyl phthalate, which [is] are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.









SOLUTION @

CEILINGS & WALLS - Paint work, peeling or cracked paint, holes, crumbling concrete (spalling), other damage.

SURFACE REPAIR, PRIMERS

& PAINT - Give your property a face-lift inside and out and show your commitment to quality housing.

INTERIOR SURFACE REPAIR -

Use spackling, putty knives, stain sealers, drywall repair sheets, and spray texture to repair holes and other damage inside units.

EXTERIOR MAINTENANCE -

Enhance curb appeal with our selection of stucco patch, concrete crack filler, leak stoppers, and pressure washers.

INTERIOR WALL REPAIR



Wal-Board® Self-Adhesive Drywall Patch

- · Permanently Repairs Damaged Walls And Ceilings
- · Self-Adhering Mesh Holds Patches To Surface **During Repair**

⚠ CA Residents, See Warning 1

4 x 4" 6 x 6" 8 x 8" 131407 131408 131409 Pkg Of 10 Pkg Of 10 Pkg Of 10



Drywall Repair Sheet

- Great For Patching Precut Larger Holes In Walls Or Ceilings Using Compound
- · Can Be Cut To Size
- Use With Drywall Clips If Studs Are Not Present

1/2 x 16 x 16" 5/8 x 16 x 16" 920067 920068



Insta-Back® Drywall Clips

· Use To Professionally Repair Holes In Walls Or Ceilings

Pkg Of 6

Use With 1/2" Drywall Use With 5/8" Drywall 920071 920077



20 Oz Homax® Water-Based **Spray Texture**

- Water Cleanup
- Low Odor, Fast Drying
- · Patches Orange Peel And Splatter Textures
- Ideal When Working In Occupied Areas
- . Covers Up To 110 Sq Ft
- · Water-Based

920023



20 Oz Homax® Heavy Splatter And Knockdown **Texture Spray**

- For Repairing And Patching Interior Drywall Textures
- 2-Hour Dry Time
- Covers Up To 60 Sq Ft
- · Water-Based

920015



14 Oz Homax® Pro Grade **Popcorn Ceiling Texture**

- Replicates Polystyrene, Perlite And Other Popcorn-Type Ceiling Textures
- Updated Trigger Enables More Controlled Application
- Feathers And Blends With Existing Textures
- Water-Based

919938





DAP® DRYDex® Spackling

- Goes On Pink And Dries White When Ready To Sand And Paint
- Interior/Exterior Use To Fill Holes And Cracks In Surfaces Such As Drywall, Plaster, Wood, Brick And Stone
- Paintable

A CA Residents, See Warning 3

5.5 Oz 1 Quart 130216 130210



1 Gallon DAP® Fast 'N Final Lightweight Spackle

- Fills Cracks, Holes And Dents In One Application
- . Ready To Paint In Minutes
- · Interior/Exterior
- Nonshrinking

106686



WARNER®

Warner Tool® 2-Piece **Putty Knife Set**

- Includes 1-1/2" Putty Knife And 3" Flexible Scraper
- Spring Stainless Steel Blade
- · Rust And Solvent Resistant 531426





Norton® 5 x 3" WallSand™ Angled Drywall Sanding Sponge

· Ideal For Sanding Drywall And Plaster

Fine 130876

Medium 130877

to cause cancer. For more information go to www.P65Warnings.ca.gov





**MARNING 1: Cancer and reproductive harm - www.P65Warnings.ca.gov. **MARNING 2: Cancer - www.P65Warnings.ca.gov. **MARNING 3: This product can expose you to chemicals including silica, crystalline, which [is] are known to the State of California





WALLS - Paint is peeling or chipping: walls and ceilings need painting.

INTERIOR & EXTERIOR SURFACE REPAIR - Revitalize areas inside and out with caulk, popcorn ceiling patch, brand-name paint and primers, stucco and concrete patch, graffiti remover, and wood stain.

INTERIOR & EXTERIOR WALL REPAIR



Sheetrock® Drywall **Joint Compound**

- Premixed For Easy Application
- For Use With Drywall Patches And Tapes To Repair Interior Drywall Cracks And Holes ⚠ CA Residents, See Warning 1

5 Gallon 1 Gallon 106731 106765



White DAP® Alex Plus® 35-Year Siliconized **Acrylic Caulk**

- Exceeds ASTM Specification C-834
- Tack Free In 30 Minutes
- Interior/Exterior
- Paintable
- Soap And Water Cleanup
- Superior Flexibility And Adhesion To Metal, Glass, Plastic, Masonry And Plaster

A CA Residents, See Warning 1

5.5 Oz 10.1 Oz 108708 108709 Case Of 12 Case Of 12





Homax

Homax® Popcorn Ceiling Patch

- 1 Quart
- · Repairs Cracks, Holes And Water Stains On An Acoustic Popcorn Ceiling
- Premixed
- · Dries White
- · Water Based
- · Can Be Applied With A Brush Or Putty Knife

↑ CA Residents, See Warning 2

920029



PRIMERS & PAINT



PPG Paint™ Gripper® Primer/Sealer

- · Adheres To Glossy And Hard-To-Stick Surfaces
- · Can Be Used Over Oil-Based Paints
- · Soap And Water Cleanup
- Interior/Exterior

1 Gallon 5 Gallon 891453 891450





PPG Paint™ 5 Gallon MULTI-PRO™ **MAINTENANCE Latex Semi-Gloss Paint**

- · Durable Finish
- · Good For High-Traffic Areas
- . Easy Application And Cleanup
- Formulated For Spray, Brush And Roller Applications
- Low VOC



Brilliant White 891337

Navajo White

891006

Swiss Coffee 891339

Antique White 891338





CONCRETE & WOOD REPAIR

MINWAX =



1 Quart Quikrete® Premixed **Stucco Patch**

- · Ready To Use Acrylic Latex Formula
- · Repairs Cracks, Breaks And Holes Up To 1/4" Thick In Stucco Surfaces
- · Durable And Flexible Finish
- . Blends With The Texture Of Surrounding Stucco

132483



1 Gallon DAP® Ready-Mixed **Concrete Patch**

- · Repairs Small Cracks And Breaks In Concrete Or Spot Leveling Concrete And Masonry Surfaces
- · Durable, Hard And Non-Shrinking
- · Interior/Exterior

CA Residents, See Warning 2

106706



World's Best® Bare Brick, Stone **And Masonry Graffiti Remover**

- · Easy To Apply
- · Perfect For Aerosol Paints
- Use In Conjunction With A Small Pressure Washer

132542



1/3 Oz Minwax® Wood Finish™ Stain

- · Wood Stain In A Marker
- Ideal For Touch-Ups CA Residents, See

Dark Walnut 565194



Red Mahogany 565191



🛦 WARNING 1: This product can expose you to chemicals including silica, crystalline, which [is] are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. 🛕 WARNING 2: Cancer - www.P65Warnings.ca.gov. WARNING 3: This product can expose you to chemicals including carbon black, which [is] are known to the State of California to cause cancer and toluene, which [is] are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov









INFESTATION - Insects have invaded the property and taken up residence.

PEST CONTROL - Eliminate point deductions by killing common pests like ants, roaches, rodents, fleas, and bedbugs. (Bedbug kit sold on back cover.)

PEST CONTROL



2 Oz Hot Shot® Indoor Insect Fogger

- 2,000 Cu Ft For Each Application
- Kills Fleas (Adult And Pre-Adult), Roaches, Ticks, Ants, Spiders, Water Bugs, Crickets On Contact
- · Leaves No Odor
- Nonstaining



112340 Pkg Of 4



Spectracide 3.5 Lb Sn

3.5 Lb Spectracide® Mound Destroyer Fire Ant Killer Granules

- Kills The Queen And Colony
- Deep Reaching Formula Starts Working In Minutes
- Apply Over And Around Mound

CEMBAT.

112343





DAP® 12 Oz Mouse Shield™ Foam Sealant + Blocker

- Contains EPA-Registered Pesticide That Protects Foam From Attack By Mice And Other Pests
- Safe To Use And Contains No Lingering Odor
- Tack-Free In 15 Minutes And Dries In 4 Hours
- For Interior Use Only

 CA Residents, See Warning 1

11 4707

114797





Combat® Roach Killing Bait Strip

- Self-Adhering
- Discreet
- For Indoor And Outdoor Use
- · Ideal For Kitchens And Bathrooms
- Roaches Carry The Bait Back To The Nest And The Entire Nest Is Destroyed
- · Kills Fast
- No Mess

539671 Pkg Of 10



Combat® Ant Killing Bait Strip

- · Self-Adhering
- Discreet
- For Indoor And Outdoor Use
- Ideal For Kitchens And Bathrooms
- Ants Carry The Bait Back To The Colony So That It Kills The Queen And Entire Colony
- Kills Fast
- No Mess

539672 Pkg Of 5



Combat® Max Quick Kill Ant Bait

- · Quick Kill Formulation
- Kills The Queen And Entire Colony Overnight
- Contains The Active Ingredient Fipronil

111721 Pkg Of 6



Combat® Max Quick Kill Large Roach Bait Station

- Quick Kill Formulation
- Kills Large Roaches And Their Eggs
- Contains The Active Ingredient Fipronil

111762 Pkg Of 8



15 Oz Hot Shot® Flying Insect Killer

- Kills Fast
- Keeps Killing Up To 4 Weeks
- Indoor And Outdoor Use
- Nonstaining

128054



17.5 Oz Hot Shot® Roach And Ant Control

- · Fresh Floral Scent
- Nonstaining, Water-Based Formula
- Up To 12 Week Control

112212



ENFORCER.

16 Oz Enforcer® Wasp And Hornet Killer Spray

- . Jet Blast Shoots 22'
- Instant Knock-Down
- Non-Arcing Formula

511005



▲ WARNING 1: This product can expose you to chemicals including p-dichlorobenzene, which [is] are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

AIR QUALITY - Mold and/or mildew observed.

CLEANING CHEMICALS, EQUIPMENT & SUPPLIES - Mold and mildew can cause serious health issues. Fight back with cleaning supplies and products that can help improve indoor air quality and ventilation.

MILDEW & STAIN REMOVERS



Moldex® Mold Disinfectant

• For Use On Hard And Semi-Porous Surfaces, Fabrics And Carpet

32 Oz

· Priced Each: 6 Per Full Case

115571

1 Gallon

· Priced Each; 4 Per Full Case

115231



1 Gallon Tilex Mildew Remover

- · Cleans Tile, Grout, Toilets And Fiberglass Instantly
- Ready To Use Formula Quickly Removes Mold And Mildew, Both Indoors And Outdoors

503112 Case Of 4



Clorox® ProResults™ Outdoor Bleach, 120 Oz Concentrated

- · Cleans Outdoor Stains
- · Protects Metal Surfaces From Corrosion
- Removes Dirt, Grease And Mildew
- · Use On Patios, Siding, Driveways And Fences

282717 Case Of 3



AIR FILTERS & ACCESSORIES



Hydro-Balance® **Ever-Clean Condensate Pan Tablets**

- · Breaks Up And Removes Dirt, Grime And Slime From Condensate Pans
- · Controls Odors
- . Eliminates Slime Buildup
- · Noncorrosive
- · Keeps Drain Pans Clean

907253 Pkg Of 100



- Synthetic Fiber Media
- · Low Initial Resistance
- Box Of 12

PART #	NUMINAL SIZE W x H x D
127253 🕜	10 x 20 x 1"
127254 🕜	12 x 20 x 1"
127381 🕜	12 x 24 x 1"
127382 🕜	14 x 20 x 1"
127383 🕜	14 x 25 x 1"
127384 🕜	16 x 20 x 1"
127385 🕜	16 x 25 x 1"
127386 🕖	20 x 20 x 1"
127211 🕜	20 x 22 x 1"
127387 🕜	20 x 25 x 1"



1" Heavy-Duty Pleated Air Filter

- 90-Day Life

MERV 8	8	
		0
 Synthetic Fil 	rface Pleat Design	

- Reinforced Frame
- · Holds Form Even After Crushing
- 90-Day Life
- Box Of 12

PART #	NOMINAL SIZE W x H x D
127270 🕜	12 x 24 x 2"
127271 🕜	16 x 20 x 2"
127272 🕜	16 x 24 x 2"
127273 🕜	16 x 25 x 2"
127274 🕜	18 x 24 x 2"
127276 🕜	20 x 20 x 2"
127278 🕜	20 x 24 x 2"
127279 🕜	20 x 25 x 2"
127280 🕜	24 x 24 x 2"
127289 🕜	25 x 25 x 2"
·	·



CDC Anti-Cloa

- · Air Conditioning And Refrigeration Drain Pan Treatment
- Consistent And Continuous Release Lasts 90 Days
- · Eliminates Bacterial Slime Buildup
- 2-3/4W x 2-1/4D x 1/2"H

764332



Hydro-Balance® Sta-Clean **Condensate Drain Strip**

- · Controls Growth Of Algae, Mold And Fungi In Condensate Pans
- . Lasts Up To Six Months

Mini

- 3/4W x 1/4H x 4"D
- 0.25 Oz Active Ingredient 150181

Pkg Of 24

Regular

- 3/4W x 3/8H x 4"D
- 0.5 Oz Active Ingredient 150179

Jumbo

- 1-1/4W x 1/4H x 5"D
- 1.0 Oz Active Ingredient 150177













SOLUTION 📀

ELECTRICAL SYSTEM - Receptacles, GFCI outlets, and light switches are missing or not working properly.

WIRING DEVICES - Cracked or missing receptacles or corroded light switches are a safety hazard. Rely on us for quality receptacles and GFCIs, wiring supplies, and toggle switches. Masque® Revive™ wall plates from TayMac offer a fast, easy way without the expense of rewiring.

GFCI RECEPTACLES & TOGGLE SWITCHES



Maintenance Warehouse® Self-Test GFCI

- Duplex
- · Back And Side Wired
- Self-Testing

15 AMP

 Ivory
 White

 109947
 109946

 Pkg Of 12
 Pkg Of 12

20 AMP

Ivory White 109949 109948 Pkg Of 12 Pkg Of 12





Hubbell 15 Amp Single Pole Toggle Switch

- 120 Volt
- Quiet Function
- Ground Screw
- Push And Side WiredUse With Copper Wire Only
- White

336550 Pkg Of 10

(II)





Hubbell 15 Amp 3-Way Quiet Toggle Switch

- 120 Volt
- · Ground Screw
- Push And Side Wired

Ivory White 336750 336825





Maintenance Warehouse® 15 Amp Duplex Receptacles - Residential

- Receptacle Design Prevents Insertion Of Anything But A Properly Rated Plug
- 125 Volt
- Double Pole
- Three Wire
- NEMA 5-15RQuickwired Push-In
- And Side Wired
- Use With Copper Wire Only

Ivory White 336022 336023





Hubbell 15 Amp Residential Grade Duplex Wall Receptacle

- 125 Volt
- Double Pole
- Three Wire
- U-Grounded
- NEMA 5-15RPush And Side Wired
- Nylon
- Use With Copper Wire Only
- White

337450 Pkg Of 10



Commercial GFCI

- Decorator Duplex
- 125 Volt
- LED Indicator2-Pole 3-Wire
- Grounding

15 AMP Ivory 110293

20 AMP

Ivory White 110300 110301



WALL PLATES & COVER-UP





Masque® Single-Gang Decorator Wall Plate

• White **328120**





Masque® Duplex Cover-Up

• White \therefore CA Residents, See Warning 1 **328130**





Masque® Single-Gang Toggle Switch Wall Plate

White
CA Residents, See Warning 1
328072



Single-Gang Blank Wall Plate

Ivory White 336038 336039 Pkg Of 10 Pkg Of 10



Cable TV Wall Jack Plate

Ivory White 303248 303265 Pkg Of 2 Pkg Of 2





SMOKE ALARMS - Missing. inoperable, or tampered with. NEW SMOKE & CO ALARMS - Upgrade to smoke alarms with a long-life, 10-year sealed battery. These alarms are always on, 24/7, require less maintenance because they don't need battery changes, and won't need to be replaced for 10 years.

SMOKE ALARMS & FIRE EXTINGUISHER





Kidde® 10-Year Sealed **Battery-Operated Ionization Smoke Alarm**

- Test/Hush™ Button
- · LED Power Indicator
- · Alarm Memory
- Tamper Resistant
- · Base Diameter: 5-5/8" • 10-Year Limited Warranty
- (U)

126015



BRK

BRK® Direct Wire Photoelectric Smoke **Alarm With LED Strobe**

- 120V AC With 10-Year Lithium Sealed Battery Backup
- 1 Hz Flash Synchronized When Multiple Units Installed
- · Quick Connect Wiring
- · End-Of-Life Indicator
- · 10-Year Warranty

W 837493



FIREY

Firex® Direct Wire **Ionization Smoke Alarm**

- AC/DC
- 9V Battery Backup, Front Load
- Test/Hush™ Button
- · LED Power Indicator
- · Alarm Memory
- · Tamper Resistant Locking Pin
- · Base Diameter: 5-5/8"
- 10-Year Limited Warrantv 340004

Worry-Free 10-Year **Battery Smoke And Carbon Monoxide Alarm**

WAREHOUSE

- Photoelectric Sensor
- · End Of Life Warning
- Test/Hush Button
- · Tamperproof Sealed Battery

Maintenance Warehouse®

 \bigcirc W 282649





Kidde® 1-A:10-B:C Dry **Chemical Fire** Extinguisher

- Metal Valve
- 2 Lb 8 Oz
- · Rechargeable
- Meets Compliance Standard For NFPA 10 Metal Handle/Valve
- . OSHA, DOT And Bureau Of Motor Carriers Approved

126402

DEFICIENCY X

LIGHTING - Missing or broken bulbs.





NEW LIGHT BULBS - LED lighting is a great choice for interior and exterior fixtures. Long-lasting LEDs use at least 75 percent less energy and last 25 times longer than incandescent bulbs. Source: energy.gov/energysaver/save-electricity-and-fuel/lighting-choices-save-you-money/led-lighting

LIGHT BULBS



TCP® 10 Watt **Omni-Directional** A-19 LED Bulb

- 120 Volt
- GU24 Base
- 25,000 Average Hour Life
- Dimmable
- · Replaces 60W Incandescent Bulb

2,700 Kelvin

• 800 Lumens • 850 Lumens 숬 **₩**

340552

4,100 Kelvin



112942



312180 Pkg Of 6



- 750 Lumens
- 11,000 Average Hour Life
- Nondimmable
- · Replaces 60W Incandescent Bulb

2,700 Kelvin W

4.100 Kelvin **⊘**☆ 449213

Pkg Of 6



2,700 Kelvin 294536 Pkg Of 24

(1)

10 Watt

• 120 Volt

A-19 LED Bulb

· Medium Base

Nondimmable

• 11,000 Average Hour Life

· Replaces 60W Incandescent Bulb

• 800 Lumens

4,100 Kelvin 294537 Pkg Of 24



14.5 Watt A-19 LED Bulb

- 120 Volt
- · Medium Base
- 1,500 Lumens
- 11,000 Average Hour Life
- Nondimmable
- · Replaces 100W Incandescent Bulb (V)

2,700 Kelvin 294538 Pkg Of 12

4,100 Kelvin 113291 Pkg Of 12



PHILIPS

Philips® LED T8

- 48" Length
- · G13 Medium Bipin
- 4,000 Kelvin **(J)**



16.5 Watt

- 120-277 Volts • 120-277, 347 Volts
- 1,600 Lumens • 2,500 Lumens 224504 294486 Pkg Of 10 Pkg Of 10









Svlvania® 17 Watt LED T8 Tube

- 48" Length
- Ballast Driven
- G13 Bi-Pin
- 4,100 Kelvin • 2.200 Lumens
- Nondimmable W(UL) 294493

Pkg Of 10





- 4.100 Kelvin
- 800 Lumens
- GX23 Base
- 7" Length
- · Nondimmable Replaces 40W Incandescent Bulb ⚠ CA Residents, See Warning 1

311843 Pkg Of 10



W Manufacturer's Warranty: For warranty or service information, call 1.800.782.4154. ★ WARNING 1: Reproductive harm - www.P65Warnings.ca.gov.













KITCHEN - Missing, damaged, or nonworking refrigerator.

REFRIGERATORS - From full size to compact, we carry the brand names you know and trust in popular styles and finishes. Use our online PartsLink™ tool to quickly find the right refrigerator repair parts. Learn more at hdsupplysolutions.com/partslink.

REFRIGERATORS





FRIGIDAIRE

Frigidaire® 15 Cu Ft **Top-Mount Refrigerator**

- Right-Hand Reversible Door Swing
- White
- 60-5/8H x 28W x 29-7/8"D
- Use With 203301 Automatic Icemaker WC(4)

642255



Whirlpool

Whirlpool® 18 Cu Ft **Top-Mount Refrigerator**

- 65-7/8H x 29-3/4W x 31-3/8"D
- Use With 501242 EZ Connect Automatic Icemaker ₩C@A Residents, See Warning 1

543811







GE® Top-Mount Refrigerator

- Upfront Temperature Controls
- · Right-Hand Reversible Door Swing
- 64-3/4H x 28W x 29-1/2"D
- Use With 501233 Automatic Icemaker

15.5 CU FT

White

White ₩CUACA Residents, See Warning 1

565318

Black ₩CUA CA Residents, See Warning 1 565320



₩COULA CA Residents, See Warning 1 501235

Black

₩COULA CA Residents, See Warning 1 501234





HOTPOINT

Hotpoint® 14.6 Cu Ft Top-Mount Refrigerator

- Upfront Temperature Controls
- Right-Hand Reversible Door
- 61-3/4H x 28W x 29-1/2"D
- Use With 501233 Automatic Icemaker

White

WC₺UACA Residents, See Warning 1

565323

Bisque

WCUA CA Residents, See Warning 1

565325



Black WC@ACA

Residents, See Warning 1 565326



ICEMAKER KITS



FRIGIDAIRE.

Frigidaire® **Automatic Icemaker Kit**

• Fits All Frigidaire Top-Mount Refrigerators 2001 And Newer

203301



GE® Automatic Icemaker Kit

 For All GE And Hotpoint Refrigerators

(L) A CA Residents, See Warning 1 501233



Whirlpool

Whirlpool® Automatic Icemaker Kit

 For Use With Whirlpool And Amana Refrigerators 1993 And Newer

© A Residents, See Warning 1

554120



W Manufacturer's Warranty: For warranty or service information, call 1.800.782.4154.

C Curbside Delivery

★ WARNING 1: Cancer and reproductive harm - www.P65Warnings.ca.gov.

KITCHEN - Missing, damaged, or nonworking range or stove.

RANGES - We offer brand-name and ADA-compliant ranges that offer long-lasting value and performance. You'll also find the range elements and repair parts you need to keep ranges operating correctly. Learn more at hdsupplysolutions.com/partslink.

RANGES

FRIGIDAIRE.

Frigidaire® 30" Freestanding Electric Range

- · Manual Clean Oven
- 4.8 Cu Ft Oven Capacity
- · Upswept Rangetop
- Visualite® Window
- · Chrome Drip Bowls
- · Storage Drawer
- Two Oven Racks
- 47-1/2H x 29-7/8W x 28-1/2"D WC (L) D

White 286831 **Black** 286832





HOTPOINT.

Hotpoint® Electric Range

- Standard Clean Oven
- . One 8" And Three 6" Surface Elements
- Chrome Drip Bowls
- · Lift-Up Cooktop With Porcelain **Enameled Subtop**
- Two Oven Racks
- In-Oven Broiling
- Broiler Pan With Grid WC₺®D^CA Residents, See Warning 1



- 2.4 Cu Ft Oven Capacity • 40H x 20W x 26-1/2"D
- 285770

24"

- 3.0 Cu Ft Oven Capacity
- 40H x 24W x 26-1/2"D

285775

HOTPOINT.

Hotpoint® 30" Freestanding **Electric Range**

- Standard Clean Oven
- 5.0 Cu Ft Oven Capacity
- · Coil Heating Elements
- . Electronic Clock And Timer
- · Porcelain Upswept Cooktop
- · Chrome Drip Bowls
- 46-1/8H x 29-7/8W x 26-3/8"D **W**C **□ D Λ** CA Residents,

See Warning 1

White 285167 **Black** 286067





GE® 30" Freestanding Electric Range

- Standard Clean Oven
- 5.0 Cu Ft Oven Capacity
- · Dual Element Bake
- Porcelain Enamel One-Piece Upswept CleanWell™ Cooktop
- ClearView™ Window
- · Chrome Drip Bowls
- 46-7/8H x 29-7/8W x 26-1/4"D
- Bisque (W)C(4) A CA Residents, See Warning 1 285590



Whirlpool

Whirlpool® 30" Freestanding **Electric Range**

- Standard Clean Oven
- 4.8 Cu Ft Oven Capacity
- Upswept Porcelain SpillGuard™ Cooktop
- Clock And Timer
- Full-Width Storage Drawer
- · Chrome Drip Bowls
- 46-7/8H x 29-7/8W x 27-3/4"D WC ⊕ D A CA Residents,

White 285430

Black 285440



HOTPOINT

Hotpoint 30" Freestanding Gas Range

- · Standard Clean Oven
- 4.8 Cubic Feet Capacity
- · All Purpose Burners
- · Porcelain Upswept Cooktop
- Lift-Up Cooktop
- · Easy Clean Subtop
- 6 Rack Positions
- · Electronic Ignition W CA Residents, See Warning 1



Black 624332







Frigidaire® 30" Freestanding Gas Range

- · Manual Clean Oven
- 4.2 Cu Ft Oven Capacity
- · Sealed Gas Burners
- Timed Cook Option
- Electronic Kitchen Timer Readv-Select[™] Controls
- Broil And Serve[™] Drawer
- 47-3/4H x 29-7/8W x 28-1/2"D WC UD ⚠ CA Residents, See Warning 1

White 286020 **Black** 286022







- C Curbside Delivery
- Dedicated Delivery: Available for delivery only by HD Supply Facilities Maintenance trucks within a specific local delivery zone. Call 1.800.431.3000.
- WARNING 1: Cancer and reproductive harm www.P65Warnings.ca.gov.











BATHROOM - Damaged or missing lavatory sink.

BATHROOM REPAIR - Make sure bathroom sinks look and work like new.

PLUMBING



Seasons® White **China Lavatory**

- 4" Centers
- Self-Rimming
- · Front Overflow

A CA Residents, See Warning 1



17 x 20" Oval 404678



19" Round 404653

Universal Small Plastic Pop-Up Plug

- · Stainless Steel Top
- 5" Length
- · Fits Moen, Pfister, Gerber And Sayco

↑ CA Residents, See Warning 2

515520 Pkg Of 5



1-1/4 x 8" Chrome **Perforated Overflow Lavatory Drain**

• 22 Gauge **⚠** CA Residents, See Warning 3

514500



White Polypropylene Trap

1-1/4 x 1-14" 403389

1-1/2 x 1-1/2 & 1-1/4" 403390





Maintenance Warehouse® **Flexible Drain And Trap Connector**

- 1-1/2 x 1-1/2 Or 1-1/4"
- Replacement For Fernco MFG #DTC-150
- Connects 1-1/4" Or 1-1/2" Tubular Traps To All Common 1-1/4" Or 1-1/2" Drain Piping

↑ CA Residents, See Warning 2

799296



Maintenance Warehouse® 20" Stainless Steel Flexible **Faucet Water Supply**

- 3/8" Compression x 1/2" Female Pipe Threads
- Nontoxic Polymer Core
- · Chrome-Plated Brass Nuts

546426 Pkg Of 10



DEFICIENCY

BATHROOM - Damaged or missing shower/tub.



BATHROOM HARDWARE - Repair or replace showerheads and tub spouts, drain closures, and overflow plates.



Aspen® Chrome Finish Diverter Tub Spout

- · Die-Cast Zinc
- For 1/2" FIP
- 5-1/4" Length

↑ CA Residents, See Warning 3 425168





Watco® Universal NuFit® **Push Pull® Tub Drain Closure**

- Installs Easily And Quickly Over Existing Strainer Bodies With Or Without Crossbars
- · Covers Existing Tub Drain Flange Up To 2-7/8" Diameter
- · Silicone Adhesive Included Or Use 642690, 642689 Or 642691

· Stainless Steel Strainer Body Cover

CA Residents, See Warning 4

With Grid Strainer 544016







Blank Overflow Plate

· Chrome-Plated Metal CA Residents, See Warning 3

Two-Hole

 Includes Two Screws 543100



One-Hole Includes Screw

543350





Aspen® Large Adjustable Spray Showerhead

- · Chrome-Plated Solid Brass Finish • 2-13/64" Face Diameter
- 1/2" FIP
- 2.0 GPM @ 80 PSI

530400







Manufacturer warrants the product to contain 0.25% lead or less on wetted surfaces to satisfy the lead content criteria regulated by California Health and Safety Code Section 116875 (Assembly Bill 1953), Vermont Legislation S152, Maryland House Bill HB1268, and the U.S. Safe Drinking Water Act (effective January 1, 2014).

■ WARNING 1: This product can expose you to chemicals including di(2-ethylhexyl)phthalate (DEHP), which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. WARNING 3: This product can expose you to chemicals including di(2-ethylhexyl)phthalate (DEHP), which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. WARNING 3: This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. WARNING 4: This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. WARNING 4: This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. WARNING 4: This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. WARNING 4: This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. WARNING 4: This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. WARNING 4: This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive h 1,3-butadiene, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov.





BATHROOM - Plumbing and leaking issues.

BATHROOM REPAIR - Repair leaky faucets, toilets, and pipes to help avoid deficiency citations. Go a step further and conserve water and save on utility bills with WaterSense® faucets, showerheads, and toilets. These products are certified to be at least 20% more efficient without sacrificing performance, and help save billions of gallons of water each year in the United States.

PLUMBING



Pfister

Pfister® Pfirst Series Lavatory Faucet Two Handle With Pop-Up

- · Chrome Finish
- Washerless Function
- · Metal Pop-Up
- 1.2 GPM @ 60 PSI 00

414319





△ DELTA

Delta® Single Handle Bath Faucet

- Chrome Finish
- Diamond[™] Seal Ceramic Disc Function
- 1.2 GPM @ 60 PSI

0

With Pop-Up

Drilled For Pop-Up 445200

· With Cast Brass Pop-Up

445250





MOEN

Moen® Chateau® Single **Handle Bath Faucet**

- · Chrome Finish
- · Washerless Function
- 1.2 GPM @ 60 PSI

Drilled For With Pop-Up

• With 50/50 Pop-Up Pop-Up 414830 414835





△ DELTA

Delta-Delex® Spout O-Ring Kit

⚠CA Residents, See Warning 1 497500



△ DELTA

Delta-Peerless® Faucet Seat

• New Style Used On Delta-Peerless Faucets Manufactured Since 1972

↑ CA Residents, See Warning 1

498400 Pkg Of 10



♦ DELTA

Delta® Repair Kit For Two Handle Faucets

· Includes New Style Seat And Spring, Spout O-Rings And Two Hot/Cold Faucet Cartridges

CA Residents, See Warning 1 498205

Delta® Repair Kit For Single Handle Faucets

· Includes Two Seats And Springs, Spout O-Rings, Faucet Cam Kit, Ball Cartridge For Acrylic Handles And Ball Cartridge For Lever Handles

↑ CA Residents, See Warning 1

498212







SYMMONS

Symmons® Temptrol® **Hot/Cold Seat Kit**

⚠CA Residents, See Warning 1 488475



Projection Fluidmaster.

Fluidmaster® Toilet Fill Valve, Flapper And Toilet Supply Line Value Pack

- Includes 400A Toilet Valve, Universal Fit Red Flapper And 12" Toilet Supply Line 3/8" Compression x 7/8" Ballcock Threads
- Anti-Siphon
- Adjustable Height 9 To 14"
- ⚠CA Residents, See Warning 1

548798





Maintenance Warehouse® **Toilet Supply Connector**

- 12" Length
- Flexible Stainless Steel
- 3/8" Compression x 7/8" Ballcock Threads
- · Chrome-Plated Brass Nuts
- Value Pack
- 546476 Pkg Of 10





BrassCraft.

BrassCraft® Retrofit Straight Valve Stop

- · Chrome-Plated Brass
- 3/8" OD Female Compression Inlet x 3/8" OD Compression
- Can Be Added To Existing 3/8" Compression Valve

548755





Maintenance Warehouse® Angle Stop

- · Quarter Turn
- 1/2" Nominal (5/8"OD) Compression Inlet x 3/8" OD Compression Outlet CA Residents, See Warning 1

403197

Manufacturer warrants the product to contain 0.25% lead or less on wetted surfaces to satisfy the lead content criteria regulated by California Health and Safety Code Section 116875 (Assembly Bill 1953), Vermont Legislation S152, Maryland House Bill HB1268, and the U.S. Safe Drinking Water Act (effective January 1, 2014).

MARNING 1: This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov.











PREPARING FOR AN INSPECTION? EVERY MINUTE COUNTS

HD Supply offers time-saving products and services to help you work faster during crunch time.



Renovate Without Rewiring

Masque® Revive™ Wall Plates from TayMac offer a fast, easy way to refresh a room's appearance without the expense of re-wiring.

See page 10



Simplify Renovations

SecureConX™ is a secure, self-aligning connection system that makes plumbing installations faster and easier. Popular applications include securely connecting side sprayers and pull-down fixtures.

See item 412402 shown below



Re-Key Locks In Seconds

No more wasting time waiting for a locksmith. Kwikset® SmartKey™ locks and deadbolts can be quickly and easily re-keyed by your maintenance staff. See page 3



Always Have The Products You Need

With our free Easy Subscriptions™ service, you can automatically schedule deliveries of products you use the most. Learn more at hdsupplysolutions.com/subscribe.

Universal Drip Bowl

· Fits Whirlpool, Frigidaire, Tappan, Modern Maid And Magic Chef

229825 Pkg Of 6

229850 Pkg Of 6



Harris® Bedbug Kit, Egg Kill & Resistant Bedbug Kit

- · Kills Pyrethroid-Resistant Bedbugs
- . Kills Adult Bedbugs And Their Eggs
- Traps For Monitoring Progress
- Contains 1 Gallon, Aerosol, Powder And Traps

721083



seasons

Seasons® Anchor Point™ Widespread Bath Faucet

- · Chrome Finish
- SecureConX[™] Connection System
- 1.2 GPM @ 60 PSI
- 50/50 Pop-Up

412402





Hydro-Balance® 18 Oz Zip™ **Clean Evaporator Coil Cleaner**

- · Self-Rinsing
- · Foaming Aerosol Quickly Cleans And Treats Coil To Retard Future Dirt Accumulation





BRK

BRK® First Alert® Sealed Lithium **Battery Ionization** Smoke Alarm

- Dual Ionization Sensing Chamber
- Test/Silence Button
- · Audible Low Battery Signal

126705



SEALED 10-YEAR LITHIUM BATTERY



Web® Air Filter Freshener

- · Helps Control Smoke, Pet And Other Odors
- Works With Any Furnace Or Air Filter
- · Use With Clean Filter For Best Results

Cinnamon 125521

Country Berry 125523

Vanilla 125522

Gardenia 125527



PVC Electrical Tape

- 3/4" x 60'
- 7 Mil

300035 Pkg Of 10

Homax

32 Oz Homax® Tough As Tile One Part **Epoxy White Paint**

- · Provides A Hard. Protective Finish
- · Leaves A Smooth, High-Gloss, Surface
- 1 Part Epoxy No Mixing And No Mess

565182



MINWAX.

6 Oz Minwax® **High Performance** Wood Filler

- · Repair Damaged And Rotted Wood
- · Interior/Exterior
- For Small Cracks To Major Repairs
- · Can Be Stained Or Painted

132666





DAP® Kwik Seal Ultra® Silicone Sealant

- White
- · Repels Water, Dirt And Soap Scum
- · Lifetime Mold And Mildew Resistance Guarantee

A CA Residents, See Warning 4 5.5 Oz 10.1 Oz

114793 114796 Case Of 12 Case Of 12





Hydraulic Screen Door Closer

- Black Finish
- · Adjustable Closing Power
- Use On Doors Up To 1-3/8" Thick
- Use On Medium To Heavyweight Doors
- 10-1/2"L

856955

🔈 ADA Compliant 🖸 Curbside Delivery 🗅 Dedicated Delivery 🔯 ENERGY STAR® 🜒 Extended Inventory 🕼 Fire Safety 🥎 Hazmat 🐧 ideallygreen ဳ 🔘 Low Lead Compliant 🖫 Manufacturer's Warranty

Please see our catalog or website for a definition of the above icons. A WARNING 1: This product can expose you to chemicals including lead, which [is] are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. WARNING 2: Cancer - www.P65Warnings.ca.gov. WARNING 3: This product can expose you to chemicals including titanium dioxide, which [is] are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. AWARNING 4: This product can expose you to chemicals including silica, crystalline, which [is] are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. 19-19336 © 2019 HDS IP Holding, LLC. All Rights Reserved. For our terms and conditions, visit hdsupplysolutions.com/terms



















