

DISINFECTANT 100345

IN-CIDE

**Ready to Use, Disinfectant, Cleaner, Mildewstat, Fungicide,
Non-Food Contact Sanitizer, Virucide*, Deodorizer.
Kills 99.9% of Bacteria.**

**For use in Hospitals, Nursing Homes, Hotels & Motels, Institutional, Industrial, Schools,
Restaurants, Food Handling and Processing Areas, USDA Inspected Food-Processing Facilities.**

ACTIVE INGREDIENTS:

Alkyl (50%C ₁₄ , 40%C ₁₂ , 10%C ₁₆)	
dimethyl benzyl ammonium chloride	0.034%
Octyl decyl dimethyl ammonium chloride	0.026%
Didecyl dimethyl ammonium chloride.....	0.013%
Dioctyl dimethyl ammonium chloride	0.013%
OTHER INGREDIENTS:	99.914%
TOTAL:	100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

EPA Reg. No. 10324-85-9367
EPA Est. No. 9367-FL-1



This product is a ready to use hospital use disinfectant that is effective against a broad spectrum of bacteria, is virucidal*, fungicidal. Inhibits the growth of mold and mildew and their odors when used as directed.

This product is a non-acid bathroom cleaner.

This product cleans, disinfects and deodorizes hard, non-porous surfaces by killing many odor-causing microorganisms.

Non-abrasive formula will not harm surfaces.

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes on hard, non-porous surfaces: Burkholderia cepacia, Campylobacter jejuni, Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterobacteriaceae with extended beta-lactamase resistance, Enterobacter cloacae, Enterococcus faecalis, Enterococcus faecium Vancomycin resistant (VRE), Escherichia coli, Escherichia coli (Antibiotic resistant), Escherichia coli O157:H7, Klebsiella pneumoniae, Klebsiella pneumoniae (Antibiotic resistant), Legionella pneumophila, Listeria monocytogenes, Proteus mirabilis, Proteus vulgaris, Pseudomonas aeruginosa, Pseudomonas aeruginosa (Antibiotic resistant), Salmonella enterica, Salmonella schottmuelleri, Salmonella typhi, Serratia marcescens, Shigella dysenteriae, Shigella flexneri, Shigella sonnei, Staphylococcus aureus, Staphylococcus aureus Methicillin Resistant (MRSA), Staphylococcus aureus Community Associated Methicillin Resistant (CA MRSA), Staphylococcus epidermis (Antibiotic resistant), Streptococcus pyogenes, Vibrio cholerae.

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes on hard, non-porous surfaces: Avian Influenza A/Turkey/Wisconsin Virus, Avian Influenza A (H5N1) Virus, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, Human Immunodeficiency Virus Type 1 ‡ (HIV-1) (AIDS Virus), Hepatitis C Virus (HCV), Hepatitis B Virus (HBV), Human Coronavirus, Influenza A/Brazil Virus, Influenza A (H1N1) Virus, Respiratory Syncytial Virus, Vaccinia Virus.

‡ Indicates a 2-minute contact time is required for this claim.

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 3 minutes on hard, non-porous surfaces: Enterobacter aerogenes, Klebsiella pneumoniae, Staphylococcus aureus.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes on hard, non-porous surfaces: Candida albicans, Trichophyton mentagrophytes.

MILDEWSTATIC PERFORMANCE: This product controls the following mold on hard, non-porous surfaces: Aspergillus niger.

DIRECTIONS FOR USE

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

FOR USE AS A GENERAL, HOSPITAL DISINFECTANT, VIRUCIDE*, DEODORIZER AND CLEANER: 1. Pre-clean heavily soiled areas. 2. Apply this product undiluted to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mechanical spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain wet for 10 minutes. 4. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Change solution daily or when visibly dirty.

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SOLUTIONS FOR A CLEANER WORLD™



THEOCHEM LABORATORIES, INC. 7373 Rowlett Park Drive • Tampa, Florida 33610 • (813) 237-6463 • www.theochem.com
Emergency Response Number ChemTel Inc. 1-800-255-3924



100345-0717 D17

DISINFECTANT 100345

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Specific barrier protection items to be worn when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids containing HIV-1, HBV & HCV must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product.

Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: Allow hard, non-porous surface to remain wet for 2 minutes to kill HIV and for 10 minutes to kill all other viruses and bacteria listed on the label.

NON-FOOD CONTACT SURFACE SANITIZING DIRECTIONS

NON-FOOD CONTACT SURFACE SANITIZING: Pre-clean heavily soiled surfaces. Apply product undiluted to hard, non-porous surfaces with a sponge, brush, cloth, trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 3 minutes. Change solution daily or when visibly dirty.

FOR USE AS A DISINFECTANT IN FOOD PROCESSING PREMISES: 1. Before using this product in food processing areas, food products and packaging materials must be removed from the room or carefully protected. 2. Pre-clean heavily soiled areas. 3. Apply product undiluted to disinfect hard, non-porous surfaces with a sponge, brush, cloth, trigger spray device. For spray applications, spray, 6-8 inches from surface. Do not breathe spray. 4. Treated surfaces must remain wet for 10 minutes. 5. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 6. When disinfecting food contact surfaces used for food preparation, rinse surfaces thoroughly with potable water. This product must not be used to clean the following surfaces: utensils, glassware, dishes or interior surfaces of processing equipment. 7. Change solution when visibly dirty.

Note: All food contact surfaces such as appliances and kitchen countertops must be rinsed with potable water after treatment. Do not use this product to clean or disinfect glassware, utensils, dishes or interior surfaces of appliances.

TO KILL FUNGI: Pre-clean heavily soiled surfaces. Apply product undiluted to hard, non-porous surfaces. Allow surface to remain wet for 10 minutes. Wipe surfaces (and let air dry).

TO CONTROL MOLD/MILDEW: Apply product undiluted to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANING DIRECTIONS: Remove heavy soil prior to disinfection. Empty water out of toilet bowl or urinal and add 1-2 oz. of this product to exposed surfaces, including under the rim with a toilet mop, cloth, or sponge, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Brush or swab thoroughly, then allow solution to stand for 10 minutes and flush.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and freshwater aquatic invertebrates.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

SOLUTIONS FOR A CLEANER WORLD™



THEOCHEM LABORATORIES, INC. 7373 Rowlett Park Drive • Tampa, Florida 33610 • (813) 237-6463 • www.theochem.com
Emergency Response Number ChemTel Inc. 1-800-255-3924



100328-0614v1